



**NEW**

**CUTTER KNIVES & BLADES**

Page **7**

- CUTTER KNIVES 11 - 14
- CUTTER BLADES 14 - 14



**NEW**

**MANUAL TOOLS**

Page **15**

- GUN TACKERS 19 - 24
- HAMMER TACKERS 24 - 24
- STAPLE REMOVER 25 - 26
- TAPE TOOL 27 - 28



**PNEUMATIC TOOLS**

Page **29**


- FINE WIRE STAPLERS 35 - 36
- MEDIUM CROWN STAPLERS 37 - 37
- WIDE CROWN STAPLERS 38 - 38
- BRAD / PIN NAILERS 39 - 39
- COIL NAILERS 40 - 40



**FASTENERS**

Page **41**


- FINE WIRE STAPLES
- MEDIUM CROWN STAPLES
- WIDE CROWN STAPLES
- BRAD / PIN NAILS



**STITCH WIRE**

Page **45**

- FLAT STITCH WIRE



**CONSUMER APPLICATIONS**

Page **47**







Miles has been instrumental in enhancing the productivity of businesses with its diverse range of quality tools comprising Staplers & Tackers, Hammer Tackers, Pneumatic Tackers, Staple Remover, Staples, Industrial Staples, Stitching Wire, Tape Tool, Cutter Knives & Blades. Our tools are powered by the latest technological innovation. So far, we have been the preferred name for professionals and DIY's. No wonder, when it comes to efficiency, one name that comes to mind is "Miles".





**About KGOC**

For more than six decades, we have been helping the world to organise businesses and assisting people to bring out their creative best with innovative and high precision products that help to 'Join, Fix or Cut' through our brands - Kangaro, Miles, Munix and Kohe. We are one of the largest manufacturers and suppliers of high quality Staplers, Staples, Staple Removers, Paper Punches, Tape Dispensers, Gun Tackers, Tape Tool, Cutter Knives & Blades, Pneumatic Tools, Industrial Staples, Stitching Wire, Scissors & Kitchen Essentials etc. KGOC brand identity symbolises the unification that signifies flexibility and limitless possibilities to create a new future.

**About Miles**

Miles, from the house of KGOC offers professional range of Staplers / Tackers, Pneumatic Tools, Tape Tool, Cutter Knives & Blades, Staples, Industrial Fasteners, Stitch Wires & Staple Remover comes to you with exacting standards in quality, design and ergonomics. It has always been our endeavor to bring to the market not only great but also innovative and cutting-edge products that add to efficiency and productivity of users. For the same credit goes to our development centre which helps us stay ahead of the curve by developing solutions that are ground-breaking, both in terms of utility, as well as design.

**Infrastructure**

KGOC has seven state-of-the-art manufacturing facilities, which possess high quality machinery for precision engineering. All units are vertically integrated, wherein all manufacturing operations are performed in-house, right from manufacturing of the smallest parts such as spring, rivet etc. to complex multi-part components.



**Development Centre & Tool Room**

KGOC has a well equipped Research and Development (R&D) Centre and an ultra modern Tool Room having all the latest facilities. R&D centre, along with its over 200 quality engineers provides the innovation and design breakthroughs that not only simplify life but also compliment the uncompromising quality benchmarks that we have set for ourselves. There are CAD/CAM/CAE set ups which manufacture using the softwares. CNC wire cuts, CNC EDM machines, CNC Milling Machines and other such machinery and equipment develop quality Tools, Jigs and Fixtures which enable KGOC to manufacture the required international quality end products.



**Quality Policy**

'Quality Culture' runs into every segment of KGOC's working supported by a team of more than 4000 highly qualified professionals, engineers, technocrats and dedicated workers, whose devotion and dedication has become a cornerstone of KGOC's success. "We believe that quality is the life line of every business and is committed to satisfying its customers by manufacturing and supplying its products to their entire satisfaction first time and every time with continual up-gradation in the effectiveness of the quality management system."

**Mission**

To be the leading manufacturer and supplier of quality products in the world.

**Vision**

We help people organise their ideas and their life. By enhancing their productivity and efficiency.

**Environmental Policy**

KGOC has a benevolent Environmental Policy which gives weightage to sustainability and green manufacturing procedures. Environmental awareness and sustainability are not mere words at KGOC. Utmost care is taken to maintain greenery on the land on which our factories are built. Our pledge to the environment is very much woven into our DNA, our philosophy and our way of life. Each one of us believes in the ideology to protect the environment and create a sustainable future. We have made huge investments in solar energy.





















## You will never like to miss these in your tool kit.

Delivering a wide range of cutter knives that fits every cutting need. From plastic to metal, with rubber grip, different types of locks, and lots more. Ergonomically designed handles suitable for multiple applications suiting home, office, and professional usage. Uniformly hardened blades with the double honing feature for precise cutting.





# PRODUCT COMPARISON AT A GLANCE - CUTTER KNIVES

Technical Specification														
Models	mini PA901	PN902	SA903	FA904	PN1801	FN1802	FR1803	FR1804G	FA1805	FA1806G	FA1807G	FA1808G	ZA1810G	FA2501G
Blade Size (mm)	9mm	9mm	9mm	9mm	18mm	18mm	18mm	18mm	18mm	18mm	18mm	18mm	18mm	25mm
Blade Segments		13	13	13	8	8	8	8	8	8	8	8	8	7

## Applications\*

General Cutting		•	•	•	•	•	•							
Paper	•	•	•	•	•	•	•							
Threads	•													
Shrink Wrap		•		•	•		•		•	•	•			
Leather			•	•		•	•	•	•	•	•	•	•	•
Rexine			•	•			•		•	•	•	•	•	•
Vinyl		•	•			•	•		•					
Plastic Film				•				•	•	•	•	•	•	•
Wallpaper		•	•	•	•	•	•	•	•	•	•	•	•	•
Foam					•	•		•	•	•	•	•	•	•
Rubber								•		•	•	•	•	•
Glass Film					•									
Plastic Sheet								•	•	•	•	•	•	•
Carpet									•	•	•	•	•	•
Packing & Corrugated material	•		•	•		•	•	•	•	•	•	•	•	•


\*These are some of the suggested applications. The applications of products may vary according to user and applied on materials.



All plastic body with Auto lock mechanism. Provision for Hanging / Key Chain.

## mini PA901

9mm  
3/8"



Used for : Paper, Thin cardboard, Threads etc.



PACKAGING




576 Pcs.

All plastic body with built-in blade snapper. With hang hole. 8-Segment Snap-off blade.

## PN1801

18mm  
3/4"



Used for : General cutting, Paper, Cardboard, Plastic Film, Shrink Wrap etc.



PACKAGING



576 Pcs.

All plastic body with built-in blade snapper. With hang hole. 13-Segment Snap-off blade.

## PN902

9mm  
3/8"



Used for : General cutting, Paper & Shrink Wrap etc.



PACKAGING




1200 Pcs.

Plastic body with metal channel. Ergonomic handle with built-in blade snapper. With hang hole. 8-Segment Snap-off blade.

## FN1802

18mm  
3/4"



Used for : Paper, Cardboard, Vinyl, Glass Film, Plastic sheet, Wallpaper, Carpet, Rubber, Leather & Rexine, Packing & Corrugated material etc.



PACKAGING




144 Pcs.

All metal body with pocket clip & snapper. 13-Segment Snap-off blade.

## SA903

9mm  
3/8"



Used for : Paper, Thin Cardboard, Film, Leather & other thin materials.



PACKAGING



240 Pcs.

Plastic body with metal channel. Ergonomic handle with built-in blade snapper. With hang hole. 8-Segment Snap-off blade.

## FR1803

18mm  
3/4"



Used for : Paper, Cardboard, Vinyl, Glass Film, Plastic sheet, Wallpaper, Carpet, Rubber, Leather & Rexine, Packing & Corrugated material etc.



PACKAGING




144 Pcs.

Plastic body with metal channel. Ergonomic handle with built-in blade snapper. With hang hole. 13-Segment Snap-off blade.

## FA904

9mm  
3/8"



Used for : Paper, Cardboard, Vinyl, Film, Shrink Wrap, Plastic Film, Wallpaper, Foam, Leather & Rexine etc.



PACKAGING



240 Pcs.

Plastic body with metal channel. With rubber grip. Ergonomic handle with built-in blade snapper. With hang hole. 8-Segment Snap-off blade.

## FR1804 G

18mm  
3/4"



COMING SOON



Used for : Paper, Cardboard, Vinyl, Glass Film, Plastic sheet, Wallpaper, Carpet, Rubber, Leather & Rexine, Packing & Corrugated material etc.



PACKAGING




144 Pcs.



Plastic body with metal channel. Ergonomic handle with built-in blade snapper. With hang hole. 8-Segment Snap-off blade.

**FA1805**

**18mm**  
3/4"



- Auto Lock
- Hang Hole
- Right Hand use
- 2 BLADE STORAGE

Used for : Paper, Cardboard, Vinyl, Glass Film, Plastic sheet, Wallpaper, Carpet, Rubber, Leather & Rexine, Packing & Corrugated material etc.



PACKAGING  
Blister card  
144 Pcs.

Plastic body with metal channel. With rubber grip. Ergonomic handle with built-in blade snapper. With hang hole. 8-Segment Snap-off blade.

**FA1806 G**

**18mm**  
3/4"



- Auto Lock
- Rubber Grip
- Hang Hole
- Right Hand use
- 2 BLADE STORAGE

Used for : Paper, Cardboard, Vinyl, Glass Film, Plastic sheet, Wallpaper, Carpet, Rubber, Leather & Rexine, Packing & Corrugated material etc.




PACKAGING  
Blister card  
144 Pcs.

Plastic body with metal channel. With rubber grip. Ergonomic handle with built-in blade snapper. With hang hole. 8-Segment Snap-off blade.

**FA1807 G**

**18mm**  
3/4"



- Auto Lock
- Auto Load Mechanism
- Hang Hole
- Right Hand use
- 4 EXTRA BLADES

Used for : Paper, Cardboard, Vinyl, Glass Film, Plastic sheet, Wallpaper, Carpet, Rubber, Leather & Rexine, Packing & Corrugated material etc.



PACKAGING  
Blister card  
144 Pcs.

Plastic body with metal channel. With rubber grip. Ergonomic handle with built-in blade snapper. With hang hole. 8-Segment Snap-off blade.

**FA1808 G**

**18mm**  
3/4"



- Auto Lock
- Auto Load Mechanism
- Secondary Blade Lock
- Hang Hole
- Right Hand use
- 4 EXTRA BLADES

Used for : Cardboard, Vinyl, Glass Film, Plastic sheet, Wallpaper, Carpet, Rubber, Leather & Rexine, Packing & Corrugated material etc.




PACKAGING  
Blister card  
96 Pcs.

Zinc body with metal channel. With rubber grip. Ergonomic handle with built-in blade snapper. With hang hole. 8-Segment Snap-off blade.

**ZA1810 G**

**18mm**  
3/4"



- Auto Lock
- Auto Load Mechanism
- Secondary Blade Lock
- Hang Hole
- Right Hand use
- 4 EXTRA BLADES

Used for : Cardboard, Vinyl, Plastic sheet, Wallpaper, Carpet, Rubber, Leather & Rexine, Packing & Corrugated material etc.

COMING SOON




PACKAGING  
Blister card  
72 Pcs.

Plastic body with metal channel. With rubber grip. Ergonomic handle with built-in blade snapper. With hang hole. 7-Segment Snap-off blade.

**FA2501 G**

**25mm**  
1"



- Auto Lock
- Auto Load Mechanism
- Secondary Blade Lock
- Hang Hole
- Right Hand use
- 4 EXTRA BLADES

Used for : Paper, Cardboard, Vinyl, Glass Film, Plastic sheet, Wallpaper, Carpet, Rubber, Leather & Rexine, Packing & Corrugated material etc.

COMING SOON





PACKAGING  
Blister card  
36 Pcs.

9mm snap-off blades with 13-segments. Double honing ensures precise cutting. Ultra sharp edge. Uniformly hardened blades for better life.

**B94**

**9mm**  
3/8"





PACKAGING  
Tube  
800 Pcs.

18mm snap-off blades with 8-segments. Double honing ensures precise cutting. Ultra sharp edge. Uniformly hardened blades for better life.

**B184**

**18mm**  
3/4"





PACKAGING  
Tube  
400 Pcs.

25mm snap-off blades with 7-segments. Double honing ensures precise cutting. Ultra sharp edge. Uniformly hardened blades for better life.

**B254**

**25mm**  
1"



PACKAGING  
Tube  
100 Pcs.

COMING SOON










## A wide range of tackers. Ergonomic designs.

When it comes to staplers & tackers, we offer a wide range for all your needs. Not only they are stylish, elegant, ergonomically designed but also are extremely tough, powerful & sturdy. Designed to handle broad spectrum of tasks to simplify life.





PRODUCT COMPARISON AT A GLANCE - MANUAL TOOLS

Technical Specification	 M-Series		 M-Series		 M-Series			 M-Series		 M-Series		
Models	M23210		M23250		M23111			M21200		M23270		
Staple Type	23 Series	T Series	23 Series	T Series	23 Series	24 Series	T Series	23 Series	No. 80	23 Series	18 Gauge Brad Nails	18 Gauge Pin Nails
Leg Length Range (mm)	6~10	8~10	6~13	8~13	6~10	6	8~10	6~13	6~14	6~13	12~14	14

Applications

Textile	•		•									
Canvas	•							•			•	
Cupboards						•		•				
Fabrics						•						
Beading			•								•	
Leather	•										•	
Iron Boards	•		•			•		•			•	
Frame								•			•	
Wall Decorating			•			•						
Upholstery	•		•			•		•			•	



M-Series

All metal robust construction. Sleek design with no loose parts. Easy drop-in loading with reload indicator. Handle lock for easy storage. Ergonomic handle with soft rubber grip for extra working comfort & least fatigue.

M23210

- Used for:
- Textile
  - Canvas
  - Leather
  - Iron boards
  - Upholstery etc.

Specifications  
 Staple Use : 23 Series,  
 T-8, T-10  
 Leg Length : 6 - 10mm



All metal robust construction. Sleek design with no loose parts. With force adjustment. Easy drop-in loading with reload indicator. Handle lock for easy storage. Ergonomic handle with soft rubber grip for extra working comfort & least fatigue.

M21200 **2in1**

- Used for:
- Cupboards
  - Canvas
  - Iron Boards
  - Frame
  - Upholstery etc.

Specifications  
 Staple Use : 23 Series, No. 80  
 Leg Length : 6 - 14mm



All metal robust construction. Sleek design with no loose parts. With force adjustment. Easy drop-in loading with reload indicator. Handle lock for easy storage. Ergonomic handle with soft rubber grip for extra working comfort & least fatigue.

M23250

- Used for:
- Textile
  - Beading
  - Wall Decorating
  - Iron Boards
  - Upholstery etc.

Specifications  
 Staple Use : 23 Series,  
 T-8, T-10, T-13  
 Leg Length : 6 - 13mm



All metal robust construction. Sleek design with no loose parts. With force adjustment. Easy drop-in loading with reload indicator. Handle lock for easy storage. Ergonomic handle with soft rubber grip for extra working comfort & least fatigue.

M23270 **3in1**

- Used for:
- Canvas
  - Beading
  - Leather
  - Iron Boards
  - Frame
  - Upholstery etc.

Specifications  
 Staple Use : 23 Series, 18 Gauge (Brads & Pins)  
 Leg Length : 6 - 13mm (23 Series)  
 12 - 14mm (Brads)  
 14mm (Pins)



Light weight high impact ABS plastic body with metal handle. Sleek design with no loose parts. With force adjustment. Easy drop-in loading with reload indicator. Handle lock for easy storage.

M23111

- Used for:
- Cupboards
  - Fabrics
  - Decorative Work
  - Iron Boards
  - Upholstery etc.

Specifications  
 Staple Use : 24/6, 23 Series,  
 T-8, T-10  
 Leg Length : 6 - 10mm





Technical Specification															
Models	TP-10			TS-623		TS-13H			TS-2380A		TS-2313A			HT-5800	HT-5850
Staple Type	23 Series	24 Series	T Series	23 Series	T Series	23 Series	T Series		23 Series	No. 80	23 Series	Brads	Pins	No. 4	No. 4
Leg Length Range (mm)	6~10	6	8~10	6~10	8~10	6~13	8~13		6~13	6~14	6~13	12~14	14	6~10	6~14

Applications															
Chair / Sofa Repair		•		•		•			•		•				
Tyre Retreading		•		•											
Labeling														•	•
Hoarding's / Flex Board / Canvas		•		•		•			•		•				
Carpeting														•	•
Photo Framing		•		•		•			•		•				



Light weight high impact ABS plastic body with quality steel components. Compact design with no loose parts. Easy drop in loading with reload indicator. Handle lock for easy storage.

**TP-10**

- Used for:**
- Cupboards
  - Fabrics
  - Iron boards
  - Decorative work
  - Upholstery etc.

**Specifications**  
 Staple Use : 24/6, 23 Series, T-8, T-10  
 Leg Length : 6 ~ 10mm



All metal robust construction. Sleek design with no loose parts. With force adjustment. Handle lock for easy storage. Easy drop in loading with reload indicator. Elegant soft rubber grip for extra working comfort.

**TS-2313A 3in1**

- Used for:**
- Beading
  - Frame
  - Iron boards
  - Canvas
  - Upholstery
  - Leather etc.

**Specifications**  
 Staple Use : 23 Series, 18 Gauge (Brads & Pins)  
 Leg Length : 6 ~ 13mm (23 Series)  
 12 ~ 14mm (Brads)  
 14mm (Pins)



All metal robust construction. Compact design with no loose parts. Easy drop in loading with reload indicator. Handle lock for easy storage. Ergonomic handle with soft rubber grip for extra working comfort.

**TS-623**

- Used for:**
- Textile
  - Canvas
  - Leather
  - Iron Boards
  - Upholstery etc.

**Specifications**  
 Staple Use : 23 Series, T-8, T-10  
 Leg Length : 6 ~ 10mm



All metal robust construction. Compact design with no loose parts. Single handed grip for easy operations and to reach odd corners. Easy drop-in loading with reload indicator. Elegant soft rubber grip for extra working comfort.

**HT-5800 HAMMER TACKER**

- Used for:**
- Fixing Fitted carpets
  - Insulation
  - Hang Labels
  - Posters
  - Roofing etc.

**Specifications**  
 Staple Use : No. 4  
 Leg Length : 6 ~ 10mm



All metal robust construction. Sleek design with no loose parts. Easy drop in loading with reload indicator. Handle lock for easy storage. Elegant soft rubber grip for extra working comfort.

**TS-13H**

- Used for:**
- Textile
  - Upholstery
  - Wall decorating
  - Beading
  - Canvas etc.

**Specifications**  
 Staple Use : 23 Series, T-8, T-10, T-13  
 Leg Length : 6 ~ 13mm



All metal robust construction. Compact design with no loose parts. Single handed grip for easy operations and to reach odd corners. Easy drop in loading with reload indicator. Elegant soft rubber grip for extra working comfort.

**HT-5850 HAMMER TACKER**

- Used for:**
- Fixing Fitted carpets
  - Insulation
  - Hang Labels
  - Posters
  - Roofing etc.

**Specifications**  
 Staple Use : No. 4  
 Leg Length : 6 ~ 14mm



All metal robust construction. Sleek design with no loose parts. With force adjustment. Easy drop-in loading with reload indicator. Handle lock for easy storage. Elegant soft rubber grip for extra working comfort.

**TS-2380A**

- Used for:**
- Upholstery
  - Cupboards
  - Iron boards
  - Canvas
  - Frame etc.

**Specifications**  
 Staple Use : 23 Series, No. 80  
 Leg Length : 6 ~ 13mm





## STAPLE REMOVER



If you thought stapling is easy,  
removing the staple is easier.

No more worrying about removing staple pins. With our staple remover, this is as easy as push & remove. Very thoughtfully engineered, this staple remover comes with an ergonomically designed plastic handle that protects knuckles.



Robust metal construction with ergonomically designed plastic handle to ensure the safety of knuckles of user's hand. Easily lifts heavy duty staples. In built clamping avoids staples kick back.

**ISR 34**







# When you want to quickly deliver a secure tie, Tape Tool is your answer !

If you are looking at an easy way to secure plants, vines or branches, then look no further. Miles Tape Tool is the easiest way to deliver a secure tie quickly. Get a uniform look, all neat & tidy. Insist on Miles refill tapes & staples for best results.



Metal construction. No loose parts with adjustable opening. Cost effective with high efficiency. Ergonomic handle with soft rubber grip.

## TT-01



No.74



TR-01

Used for:

- Fixing & binding vine plants
- Gardening



No. 74 (Staples)



TR-01 (Tape) (30m Roll)





# Convenience efficiency & speed, Redefined.

When it comes to being productive and achieving timely goals, opt for Miles pneumatic tools. Extremely tough, powerful & precise catering to your different professional needs.



**Applications**  
Making Pallets, Drums, Wooden Boats, Wooden Fence and  
General construction applications including Siding, Decking,  
Sheathing and Crating

Specifications	
Weight	4.10kgs
Magazine Cap.	225-275 nails
Shank Dia.	2.50-3.33mm(0.099"-0.131")
Nail Length	50-90mm(2"-3.9375")
Operating Pressure	70-120 PSI (5-8 Bar)





Technical Specification	Fine Wire Staplers					Medium Crown Staplers				Wide Crown Staplers			Brad / Pin Nailers				Coil Nailers				
Models	MS 80-16N	MS 80-16L	MS 10J-13	MS 10F-13	MS 71-16	MS 90-25N	MSB 90-40N Combi		MS 100-50N		MS 16WC-50	MCS 35-18 Pro	MCS-35-22 Pro	MB 18-32	MB 18-50	MB 16-64	MP 622	MCN 57	MCN 70	MCN 90 Pro	MCN 100
Staple Type	No. 80	No. 80	No. 10J	No. 10F	No. 7c	No. 90	Brad Nails	No. 90	No. 100		No. 16WC	No. 35	No. 35	Brad Nails	Brad Nails	Brad Nails	Pin Nails	Coil Nails	Coil Nails	Coil Nails	Coil Nails
Leg Length Range (mm)	6~16	6~16	6~13	6~13	6~16	12~25	20~50	20~40	19~50		16~50	15~18	18~22	10~32	20~50	19~64	12~22	25~57	45~70	50~90	65~100
Operating Air Pressure (Psi)	60~100	60~100	60~100	60~100	60~100	60~100	60~100	60~100	70~120		70~120	70~100	70~100	60~100	60~100	70~120	60~100	70~100	70~100	70~120	70~120





Category	Fine Wire Staplers					Medium Crown Staplers				Wide Crown Staplers			Brad / Pin Nails				Coil Nailers			
Models	MS 80-16N	MS 80-16L	MS 10J-13	MS 10F-13	MS 71-16	MS 90-25N	MSB 90-40N COMBI		MS 100-50N	MS 16WC-50	MCS 35-18 Pro	MCS 35-22 Pro	MB 18-32	MB 18-50	MB 16-64	MP-622	MCN 57	MCN 70	MCN 90 Pro	MCN 100
Staple Type	No. 80	No. 80	No. 10J	No. 10F	No. 7c	No. 90	Brad Nails	No. 90	No. 100	No. 16WC	No. 35	No. 35	Brad Nails	Brad Nails	Brad Nails	Pin Nails	Coil Nails	Coil Nails	Coil Nails	Coil Nails
Office Chair	•	•	•		•															
Sofa	•				•				•								•	•	•	•
Cabinet															•					
Two Wheeler Seat	•																			
Car Door Trimming				•																
Cable Drum																	•	•	•	•
Pallet / Crate / Packaging									•								•	•	•	•
Cycle Seat	•		•																	
Shoe Making													•	•						
Carom Board			•										•	•						
Paint Brush						•	•	•					•	•						
Photo Frame	•		•		•	•	•	•					•	•						
Corrugated Carton																				
Flush Door	•									•										
Tyre Retreading	•		•																	
Labeling	•		•																	
Hoarding / Flex Board / Canvas	•		•																	
Veener																				•
Beading													•	•						•
Cane Chair						•	•	•					•	•						
Kite Spindle						•	•	•					•	•						
Bird Cage						•	•	•					•	•						
Boat Making									•	•							•	•	•	•



Fine Wire

Compact & light weight tool. Ergonomic handle with rubber grip for extra working comfort. Multidirectional exhaust cover.

**MS 80-16N**

**Used for:**

- Frame
- Upholstery
- Furniture
- Door Trims
- Seat Making
- Beading
- Iron Boards
- Canvas etc.

**Specifications**

Staple Use : No. 80  
 Leg Length : 6 ~ 16mm  
 Working Pressure : 4 ~ 7 Bar



Long lasting tool with sturdy components. 3-way staples viewing slot

**MS 10F-13**

**Used for:**

- Upholstery
- Furniture
- Door Trims
- Seat Making
- Beading etc.

**Specifications**

Staple Use : No. 10F  
 Leg Length : 6 ~ 13mm  
 Working Pressure : 4 ~ 7 Bar



Compact & light weight tool. Ergonomic handle with rubber grip for extra working comfort. Multidirectional exhaust cover. Long nose for better reach.

**MS 80-16L**

**Used for:**

- Frame
- Upholstery
- Furniture
- Door Trims
- Seat Making
- Beading
- Iron Boards
- Canvas etc.

**Specifications**

Staple Use : No. 80  
 Leg Length : 6 ~ 16mm  
 Working Pressure : 4 ~ 7 Bar



Compact & light weight tool. Ergonomic handle with rubber grip for extra working comfort. Multidirectional exhaust cover.

**MS 71-16**

**Used for:**

- Frame Assembly
- Drawer Guide
- Panels and Profile Boards
- Shoe Making
- Wooden Cases
- Brushes
- Frame
- Moulding
- Decorative etc.

**Specifications**

Staple Use : No. 71  
 Leg Length : 6 ~ 16mm  
 Working Pressure : 4 ~ 7 Bar



Long lasting tool with sturdy components. 3-way staples viewing slot

**MS 10J-13**

**Used for:**

- Furniture
- Frame
- Upholstery
- Beading
- Iron Boards
- Canvas etc.

**Specifications**

Staple Use : No. 10J  
 Leg Length : 6 ~ 13mm  
 Working Pressure : 4 ~ 7 Bar





Medium Crown

Rubber comfort grip ensures a non slip handling, reduce vibration & fatigue. Light weight & easy loading. Touch strike security system. Multidirectional exhaust cover. Pro gasket with metal inside.

**MS 90-25 N**

- |                             |                              |
|-----------------------------|------------------------------|
| <b>Used for:</b>            | <b>Specifications</b>        |
| • Frame Assembly            | Staple Use : No. 90          |
| • Drawer Guide              | Leg Length : 12 ~ 25mm       |
| • Panels and Profile boards | Working Pressure : 4 ~ 7 Bar |
| • Shoe Making               |                              |
| • Wooden Cases              |                              |
| • Brushes                   |                              |
| • Frame                     |                              |
| • Moulding                  |                              |
| • Decorative                |                              |



Compact & light weight tool. Hard coat anodized aluminum loader. Multidirectional exhaust cover. Staple viewing slot. Contact trip device.

**MSB 90-40N Combi**

- |                             |                                |
|-----------------------------|--------------------------------|
| <b>Used for:</b>            | <b>Specifications</b>          |
| • Frame Assembly            | Staple Use : No. 90            |
| • Drawer Guide              | Leg Length : 16 ~ 40mm         |
| • Panels and Profile Boards | Brad Use : F series (18 Gauge) |
| • Shoe Making               | Leg Length : 20 ~ 50mm         |
| • Wooden Cases              | Working Pressure : 4 ~ 7 Bar   |
| • Brushes                   |                                |
| • Frame                     |                                |
| • Moulding                  |                                |
| • Decorative etc.           |                                |



Sturdy tool with very powerful driving force. Magnesium casted body for light weight. Adjustable single fire & bump fire. Multidirectional exhaust cover. Adjustable depth control dial.

**MS 100-50N**

- |                       |                              |
|-----------------------|------------------------------|
| <b>Used for:</b>      | <b>Specifications</b>        |
| • Sheathing           | Staple Use : No. 100         |
| • Subflooring         | Leg Length : 19 ~ 50mm       |
| • Roof Decking        | Working Pressure : 5 ~ 8 Bar |
| • Pallets             |                              |
| • Crates              |                              |
| • Box Assembly        |                              |
| • Vinyl Siding        |                              |
| • Frame Assembly etc. |                              |



Wide Crown

Solid design & good balance. Ergonomic rubber grip. Touch-strike security system. Front exhaust. Tool-less jam clearing mechanism.

**MS 16WC-50**

- |   |                              |
|---|------------------------------|
| <b>Used for:</b>                        | <b>Specifications</b>        |
| • Fixing corrugated Boxes to Wood       | Staple Use : No. 16WC        |
| • Furniture Packaging                   | Leg Length : 16 ~ 50mm       |
| • Frame Assembly                        | Working Pressure : 5 ~ 8 Bar |
| • To Fix Angle Boards to Wooden Pallets |                              |
| • Fixing Roofing Felt etc.              |                              |



Easy loading system. Integrated silencer. Optional hook for suspension. Adjustable clinching as per applications.

**MCS 35-18 Pro**

- |                             |                              |
|-----------------------------|------------------------------|
| <b>Used for:</b>            | <b>Specifications</b>        |
| • To Close Corrugated Boxes | Staple Use : No. 35          |
| • Cartons etc.              | Leg Length : 15 ~ 18mm       |
|                             | Working Pressure : 5 ~ 7 Bar |



Easy loading system. Integrated silencer. Optional hook for suspension. Adjustable clinching as per applications.

**MCS 35-22 Pro**

- |                             |                              |
|-----------------------------|------------------------------|
| <b>Used for:</b>            | <b>Specifications</b>        |
| • To Close Corrugated Boxes | Staple Use : No. 35          |
| • Cartons etc.              | Leg Length : 18 ~ 22mm       |
|                             | Working Pressure : 5 ~ 7 Bar |





Brad / Pin Nailers

Compact & light weight tool. Tool-less jam clearing mechanism. Multidirectional exhaust cover. Ergonomic handle with rubber grip for extra working comfort. Adjustable depth control dial. Safety contact tip.

**MB 18-32**



- |                     |                                |
|---------------------|--------------------------------|
| <b>Used for:</b>    | <b>Specifications</b>          |
| • Cabinet           | Brad Use : F series (18 Gauge) |
| • Windows and Doors | Leg Length : 10 ~ 32mm         |
| • Construction      | Working Pressure : 4 ~ 7 Bar   |
| • Wooden Cases      |                                |
| • Kite Spindles     |                                |
| • Paint Brushes     |                                |
| • Modular Kitchen   |                                |
| • Frame Assembly    |                                |
| • Drawer Guide etc. |                                |

Compact & light weight tool. Tool-less jam clearing mechanism. Multidirectional exhaust cover. Ergonomic handle with rubber grip for extra working comfort. Adjustable depth control dial. Safety contact tip.

**MB 18-50**



- |                     |                                |
|---------------------|--------------------------------|
| <b>Used for:</b>    | <b>Specifications</b>          |
| • Cabinet           | Brad Use : F series (18 Gauge) |
| • Windows and Doors | Leg Length : 20 ~ 50mm         |
| • Construction      | Working Pressure : 4 ~ 7 Bar   |
| • Wooden Cases      |                                |
| • Kite Spindles     |                                |
| • Paint Brushes     |                                |
| • Modular Kitchen   |                                |
| • Frame Assembly    |                                |
| • Drawer Guide etc. |                                |

Solid design and good balance. Tool-less jam clearing mechanism. Multidirectional exhaust cover. Adjustable depth control dial. Touch strike security system.

**MB 16-64**



- |                     |                                |
|---------------------|--------------------------------|
| <b>Used for:</b>    | <b>Specifications</b>          |
| • Cabinet           | Brad Use : T series (16 Gauge) |
| • Windows and Doors | Leg Length : 19 ~ 64mm         |
| • Construction      | Working Pressure : 5 ~ 8 Bar   |
| • Wooden Cases      |                                |
| • Modular Kitchen   |                                |
| • Frame Assembly    |                                |
| • Drawer Guide etc. |                                |

Compact & light weight tool. Ergonomic handle with rubber grip for extra working comfort. Multidirectional exhaust cover. Side loading anodized magazine.

**MP 622**



- |                            |                              |
|----------------------------|------------------------------|
| <b>Used for:</b>           | <b>Specifications</b>        |
| • Invisible Fixing         | Pin Use : 23 Gauge           |
| • Fine Beads               | Leg Length : 12 ~ 22mm       |
| • Decorative Moulding etc. | Working Pressure : 4 ~ 7 Bar |

Coil Nailers

Rubber comfort grip ensures a non slip handling & reduces vibration and fatigue. High strength aluminum alloy body for a good balance & ease of handling. High impact engineered plastic magazine with adjustable bottom steel plate. Multidirectional exhaust cover. Touch strike security system. Metal guard to protect tool body.

**MCN 57**



- |                  |                              |
|------------------|------------------------------|
| <b>Used for:</b> | <b>Specifications</b>        |
| • Decking        | Coil Use : 15° wire weld     |
| • Siding         | Shank Dia : 2.1 ~ 2.3mm      |
| • Cable Reels    | Nail Head : 5.0 ~ 5.7mm      |
| • Pallets        | Nail Length : 25 ~ 57mm      |
| • Furniture      | Working Pressure : 5 ~ 7 Bar |
| • Fencing        |                              |
| • Boxes          |                              |
| • Crates         |                              |
| • Crating        |                              |
| • Sheathing etc. |                              |

Rubber comfort grip ensures a non slip handling & reduces vibration and fatigue. High strength aluminum alloy body for a good balance & ease of handling. High impact engineered plastic magazine with adjustable bottom steel plate. Touch strike security system. Metal guard to protect tool body.

**MCN 70**



- |                  |                              |
|------------------|------------------------------|
| <b>Used for:</b> | <b>Specifications</b>        |
| • Decking        | Coil Use : 15° wire weld     |
| • Siding         | Shank Dia : 2.3 ~ 2.9mm      |
| • Cable Reels    | Nail Head : 5.0 ~ 7.0mm      |
| • Pallets        | Nail Length : 45 ~ 70mm      |
| • Furniture      | Working Pressure : 5 ~ 7 Bar |
| • Fencing        |                              |
| • Boxes          |                              |
| • Crates         |                              |
| • Crating        |                              |
| • Sheathing etc. |                              |

New design casting for extra power. Magnesium casting for light weight. Tilt magazine for easy loading. Multidirectional exhaust cover. Touch strike security system. Metal guard to protect tool body.

**MCN 90 Pro**



- |                  |                              |
|------------------|------------------------------|
| <b>Used for:</b> | <b>Specifications</b>        |
| • Decking        | Coil Use : 15° wire weld     |
| • Siding         | Shank Dia : 2.5 ~ 3.33mm     |
| • Cable Reels    | Nail Head : 6.0 ~ 7.0mm      |
| • Pallets        | Nail Length : 50 ~ 90mm      |
| • Furniture      | Working Pressure : 5 ~ 8 Bar |
| • Fencing        |                              |
| • Boxes          |                              |
| • Crates         |                              |
| • Crating        |                              |
| • Sheathing etc. |                              |


Very powerful tool, able to countersink nails into hard wood. Rubber comfort grip ensures a non slip handling & reduces vibrations & fatigue. Body in high strength aluminum alloy for a good balance & ease of handling. High impact engineered plastic magazine with adjustable bottom steel plate. Downwards directional exhaust. Built-in silencer to reduce exhaust noise level. Touch strike security system. Metal guard to protect tool body.

**MCN 100**




- |                  |                              |
|------------------|------------------------------|
| <b>Used for:</b> | <b>Specifications</b>        |
| • Decking        | Coil Use : 15° wire weld     |
| • Siding         | Shank Dia : 2.5 ~ 3.33mm     |
| • Cable Reels    | Nail Head : 6.5 ~ 7.5mm      |
| • Pallets        | Nail Length : 65 ~ 100mm     |
| • Furniture      | Working Pressure : 5 ~ 8 Bar |
| • Fencing        |                              |
| • Boxes          |                              |
| • Crates         |                              |
| • Crating        |                              |
| • Sheathing etc. |                              |





## Fasteners for all your needs.

We offer the widest range of fasteners. All meets the exact international standards & specifications. No matter which stapler or tacker you use, we have the staples for you.





Fine Wire Staples	Outer Crown	Inner Crown	Wire Dimension	Leg Length
No. 80	12.80mm	11.50mm	0.60 x 0.90mm	3~16mm
No. 10F	11.30mm	10.10mm	0.52 x 0.70mm	2.5~4mm
No. 10J	11.20mm	10.00mm	0.60 x 1.20mm	4.75~12mm
23 Series	13.00mm	11.60mm	0.60 x 0.75mm	6~24mm
24 Series	12.80mm	11.90mm	0.35 x 0.70mm	6~8mm
T Series	12.75mm	11.60mm	0.51 x 0.70mm	8~13mm
No. 4	10.50mm	09.40mm	0.57 x 1.20mm	6~14mm
No. 7C	09.00mm	07.70mm	0.60 x 0.75mm	8~12mm


Medium Crown Staples	Outer Crown	Inner Crown	Wire Dimension	Leg Length
No. 90	05.60mm	03.40mm	0.95 x 1.20mm	9~40mm
No. 100	10.80mm	07.80mm	1.40 x 1.60mm	16~50mm

Wide Crown Staples	Outer Crown	Inner Crown	Wire Dimension	Leg Length
No. 16WC	25.00mm	22.00mm	1.40 x 1.60mm	16~38mm
No. 35	35.00mm	33.00mm	0.90 x 2.30mm	15~22mm
No. 24	24.00mm	22.00mm	0.90 x 1.85mm	15~18mm


Brad Nails	Gauge	Head Dia	Wire Dimension	Leg Length
T Series	16	2.80mm	1.40 x 1.60mm	25~64mm
F Series	18	2.00mm	1.00 x 1.25mm	8~50mm

Pin Nails	Shank Dia	Leg Length
P6	0.64mm	10~30mm


24 Series




23 Series




T Series




No. 4



No. 7C




No. 80




No. 10 F




No. 10 J




No. 90




No. 100




No. 16WC



No. 35



No. 24



T Series

16 Gauge Brads



Available sizes: 25, 32, 38, 45, 50 & 64mm

F Series

18 Gauge Brads



Available sizes: 8, 10, 12, 15, 20, 25, 30, 32, 40 & 50mm

P6 Series

23 Gauge Nails



Available sizes: 10, 12, 15, 18, 20, 25 & 30mm





# Stitching wires for your packing solutions.

Our stitching wires are primarily used for corrugation industry, These are tailored to meet the exact requirement of the customers not only in terms of cost and availability but with the assurance of consistent quality.

## Miles Layered Wound Stitch Wire - Features

1. Layer winding of stitching wire for automatic machines for better performance
2. Uniform mechanical properties across length ensuring optimal performance of stitching heads
3. Avoid premature wear out of machine
4. Energy saver & less maintenance cost
5. The wire is more evenly wound on the coil to provide continues operation during production



Available in : Commercial grade & Rust Resistant grade  
 Sizes Available : 12/25, 13/25, 14/25, 12/22, 14/22 & 15/22  
 Weight of Spool : 40 Kg. & 15 Kg.

This stitching wire is the most affordable and most commonly used in the corrugation industry. It is made out of mild steel wire and has electro galvanized coating of Zinc.

## Commercial Grade



This stitching wire is also made out of mild steel and has electro galvanized coating of Zinc and it is better than commercial grade of stitch wire.

## Rust Resistant Grade



This stitching wire is made out of pure stainless steel wire and is 100% rust proof. It is economical as compared to brass and copper wires.

## Stainless Steel Grade



STITCH WIRE	STAINLESS STEEL	COPPER*	BRASS*
Length (mtrs. per kg. **)	119.7 mtrs.	90.4 mtrs.	105.7 mtrs.
Oxidation	✗	✓	✓
Pilferage Chances	Low	High	High
Consistent Quality	✓	✗	✗

\* These variants are not available in Miles  
 \*\* Size 13/25

Sizes available for Commercial / Rust Resistance Grade : 12/25, 13/25, 14/25, 17/25, 12/22, 14/22 & 15/22  
 Sizes available for Stainless Steel Grade : 13/25 & 14/25  
 Weight of Coil : 2.50 Kg., 15 Kg. (Spool) & 40 Kg. approx  
 Packaging : Corrugated Box - Laminated from inner side

- High corrosion resistance due to superior galvanized coating
- Uniform mechanical properties across length ensuring optimal performance of stitching head
- Avoids premature wear out of machine and reduces energy and maintenance cost
- Wire is evenly wound on coil / spool to provide continuous operation while production





**Bike Seat Making**

Tool	Staples
MS 80-16N	No. 80
MS 80-16L	No. 80
MS 10J-13	No. 10J



**Cycle Seat Making**

Tool	Staples
MS 80-16N	No. 80
MS 80-16L	No. 80
MS 10J-13	No. 10J



**Fabric to Wood / Plastic Assembly**

Tool	Staples
MS 80-16N	No. 80
MS 80-16L	No. 80
MS 10J-13	No. 10J
MS 10F-13	No. 10F
MS 71-16	No. 7C



**Beading**

Tool	Staples
MS 80-16N	No. 80
MS 80-16L	No. 80
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails



**Tyre Retreading**

Tool	Staples
TS-623	No. 23
MS 80-16N	No. 80



**Modular Kitchens**

Tool	Staples
MS 90-25N	No. 90
MS 100-50N	No. 100
MB 16-64	16G Brad Nails
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails
MS 80-16N	No. 80
MS 80-16L	No. 80
MS 10J-13	No. 10J
MS 71-16	No. 7C



**Car Door Trim**

Tool	Staples
MS 10F-13	No. 10F




**Chair / Sofa Making**

Tool	Staples
MS 80-16N	No. 80
MS 80-16L	No. 80
MS 10J-13	No. 10J
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails



**Cabinet**


Tool	Staples
MB 18-32	18G Brad Nails
MP 622	Head Less Nails



**Flush Door**

Tool	Staples
MS 16WC-50	No. 16WC






Wooden Case

Tool	Staples
MS 100-50N	No. 100
MCN 57 / 70	Coil Nails
MCN 90 Pro / 100	Coil Nails




Pallets

Tool	Staples / Nails
MS 100-50N	No. 100
MCN 57 / 70	Coil Nails
MCN 90 Pro / 100	Coil Nails



Iron Board

Tool	Staples
MS 80-16N	No. 80
MS 80-16L	No. 80
MS 10J-13	No. 10J



Carton Closing

Tool	Staples
MCS 35-18 Pro	No. 35
MCS 35-22 Pro	No. 35



Corrugated Box to Wood

Tool	Staples
MS 100-50N	No. 100
MCN 57 / 70	Coil Nails
MCN 90 Pro / 100	Coil Nails



Shoe Making

Tool	Staples
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails



Boat Making

Tool	Staples
MS 100-50N	No. 100
MB 16-64	16G Brad Nails
MCN 57 / 70	Coil Nails
MCN 90 Pro / 100	Coil Nails



Canvas / Frame / Assembly

Tool	Staples
MS 80-16N	No. 80
Ms 80-16L	No. 80
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails



Paint Brushes

Tool	Staples
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails



Kite Spindles

Tool	Staples
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails






Threads

Cutter Knives	Blades
mini PA901	9mm



Paper

Cutter Knives	Blades
mini PA901	9mm
PN902	9mm
SA903	9mm
FA904	9mm
PN1801	18mm
FN1802	18mm
FR1803	18mm



Glass Film

Cutter Knives	Blades
PN1801	18mm



Plastic Film

Cutter Knives	Blades
FA904	9mm
FR1804G	18mm
FA1805	18mm
FA1806G	18mm
FA1807G	18mm
FA1808G	18mm
ZA1810G	18mm
FA2501G	25mm



General Cutting

Cutter Knives	Blades
PN902	9mm
SA903	9mm
FA904	9mm
PN1801	18mm
FN1802	18mm
FR1803	18mm



Wallpaper

Cutter Knives	Blades
PN902	9mm
SA903	9mm
FA904	9mm
PN1801	18mm
FN1802	18mm
FR1803	18mm
FR1804G	18mm
FA1805	18mm
FA1806G	18mm
FA1807G	18mm
FA1808G	18mm
ZA1810G	18mm
FA2501G	25mm



Shrink Wrap

Cutter Knives	Blades
PN902	9mm
FA904	9mm
PN1801	18mm
FR1803	18mm
FA1805	18mm
FA1806G	18mm
FA1807G	18mm




Vinyl

Cutter Knives	Blades
PN902	9mm
SA903	9mm
FN1802	18mm
FR1803	18mm
FA1805	18mm



Leather

Cutter Knives	Blades
SA903	9mm
FA904	9mm
FN1802	18mm
FR1803	18mm
FR1804G	18mm
FA1805	18mm
FA1806G	18mm
FA1807G	18mm
FA1808G	18mm
ZA1810G	18mm
FA2501G	25mm



Rexine

Cutter Knives	Blades
SA903	9mm
FA904	9mm
FR1803	18mm
FA1806G	18mm
FA1807G	18mm
FA1808G	18mm
ZA1810G	18mm
FA2501G	25mm







